EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	116	(417/355).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/12/22 14:40
L2	261	(417/356).CCLS.	US-PGPUB; USPAT	OR .	OFF	2006/12/22 14:44
L3	0	(417/423).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/12/22 14:45
L4	632	(417/423.1).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/12/22 14:52
L5	360	(417/423.2).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/12/22 14:56
L6	469	(417/423.3).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/12/22 15:02
L7	196	(417/423.4).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/12/22 15:07
L8	137	(417/423.5).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/12/22 15:11
L9	98	(417/423.6).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/12/22 15:16
L10	444	(417/423.7).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/12/22 15:23
L11	496	(416/189).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/12/22 15:27
L12	586	(310/62).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/12/22 15:33
L13	490	(310/63).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/12/22 15:44
L14	1275	(310/268).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/12/22 15:52
L15	214	(310/156.32).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/12/22 15:52
L16	3655	rotor shaft (electric coil) permanent magnet.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/12/22 15:57
L17	336	casing rotor drive\$3 shaft magnet blade.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/12/22 15:58
S1	1	("2867377").PN.	US-PGPUB; USPAT	OR	OFF	2006/07/20 11:20
S2	115	(417/355).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/07/20 11:24

12/22/2006 4:06:11 PM Page 1
C:\Documents and Settings\vdwivedi\My Documents\EAST\Workspaces\10733108_Axial flow type cooling fan with shrouded blades.wsp

EAST Search History

S3	259	(417/356).CCLS.	US-PGPUB;	OR	OFF	2006/07/20 11:31
S4	603	(417/423.1).CCLS.	USPAT US-PGPUB;	OR	OFF	2006/07/20 11:32
34	003	(417/425.1).0015.	USPAT USPAT	OK	0/1	2000/07/20 11.32
S5	1	S2 S3 S4	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/07/20 11:33
S6	1	(pheriph\$5 with ring with rim)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/07/20 11:34
S7	84	(pheriph\$5 ring rim)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/07/20 11:36
S8	2615	notebook computer fan	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/07/20 11:37
S9	13	"notebook computer fan"	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/07/20 11:38
S10	418	"computer fan"	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/07/20 11:44
S11	783	computer with cooling near device	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/07/20 12:07
S12	486	(416/189).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/07/20 12:09
S13	18	pherip\$5 driving unit fan	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/07/20 12:11
S14	0	pherip\$5 near driving near unit same fan	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/07/20 12:49
S15	27057	fan and multiple and motor	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/07/20 12:50

12/22/2006 4:06:11 PM Page 2
C:\Documents and Settings\vdwivedi\My Documents\EAST\Workspaces\10733108_Axial flow type cooling fan with shrouded blades.wsp

EAST Search History

	T				
54406	(common or central) adj shaft	US-PGPUB USPAT; USOCR; EPO; JPO	; AND	ON	2006/07/20 12:51
925	S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/07/20 12:51
2228	(310/63,62,268,156.32).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/07/20 15:19
1	("4962732").PN.	US-PGPUB; USPAT	OR	OFF	2006/07/20 15:43
9036	rotor shaft (electric coil) permanent magnet	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/12/22 15:57
1/2.	ring rim perihp\$6	US-PGPUB; USPAT; USOCR;	AND	ON	2006/07/20 15:52
0	S20 S21	US-PGPUB; USPAT; USOCR;	AND	ON	2006/07/20 15:49
0	S20 S21	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/07/20 15:49
0	("7205[97").PN.	JPO	OR	OFF	2006/07/20 15:52
0	("7205 97").PN.	JPO; DERWENT	OR	OFF	2006/07/20 15:53
1	."0720 397"	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/07/20 15:53
	"43 ,413" "4459087" "455; 74" "4553075" "4670677" "49 ,734" "4995787" "5019,35" "5075606" "5090088" "519,354" "5433118" "5443,33" "5607329" "5616974" "564,224" "5692882" "5695,71").PN. OR ("6194798").	US-PGPUB; USPAT; USOCR	AND	ON	2006/07/20 16:11
	925 2228 1 9036 0 0 1 1 34	925 S15 and S16 2228 (310/63,62,268,156.32).CCLS. 1 ("4962732").PN. 9036 rotor shaft/(electric coil) permanent magnet 12 ring rim perihp\$6 0 S20 S21 0 S20 S21 0 ("7205897").PN. 0 ("7205 97").PN. 1 "0720 397" 34 ("393) 369" "4164690" "4181172"	925 S15 and S16 926 S15 and S16 927 S15 and S16 928 (310/63,62,268,156.32).CCLS. 1 ("4962732").PN. 1 ("4962732").PN. 9036 rotor shaft/(electric coil) permanent magnet 12 ring rim perihp\$6 14	925 S15 and S16 USPAT; USOCR; EPO; JPO US-PGPUB; USPAT; USOCR; EPO; JPO US-PGPUB; USPAT USOCR; EPO; JPO US-PGPUB; USPAT USPAT USOCR; EPO; JPO US-PGPUB; USPAT USPAT USPAT USPAT USPAT; USOCR; EPO; JPO US-PGPUB; USPAT; USOCR; EPO; JPO	925 S15 and S16 US-PAT; USOCR; EPO; JPO 2228 (\$10/63,62,268,156.32).CCLS. US-PGPUB; USPAT; USOCR; EPO; JPO 1 ("4962732").PN. US-PGPUB; OR USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT, USOCR; EPO; JPO 12 ring rim perihp\$6 US-PGPUB; USPAT, USOCR; EPO; JPO 14 ring rim perihp\$6 US-PGPUB; USPAT, USOCR; EPO; JPO 15 S20 S21 US-PGPUB; USPAT; USOCR; EPO; JPO 16 US-PGPUB; USPAT; USOCR; EPO; JPO 17 US-PGPUB; USPAT; USOCR; EPO; JPO 18 USPAT; USOCR; EPO; JPO 19 US-PGPUB; USPAT; USOCR; EPO; JPO 10 ("7205 97").PN. JPO OR OFF 11 "0720 397" US-PGPUB; US-PGPUB; AND ON US-PGPUB; USPAT; USOCR; EPO; JPO 12 US-PGPUB; USPAT; USOCR; EPO; JPO 13 US-PGPUB; USPAT; USOCR; EPO; JPO 14 "43 /413" "4459087" US-PGPUB; USPAT; USOCR; EPO; JPO 15 US-PGPUB; USPAT; USOCR; EPO; JPO 16 US-PGPUB; USPAT; USOCR; EPO; JPO 17 US-PGPUB; USPAT; USOCR; EPO; JPO 18 USPAT; USOCR; EPO; JPO 19 US-PGPUB; USPAT; USOCR; EPO; JPO 10 US-PGPUB; USPAT; USOCR; EPO; JPO 11 "0720 397" US-PGPUB; USPAT; USOCR; EPO; JPO 12 "43 /413" "4459087" US-PGPUB; USPAT; USOCR; EPO; JPO 16 US-PGPUB; USPAT; USOCR; EPO; JPO 17 US-PGPUB; USPAT; USOCR; EPO; JPO 18 USPAT; USOCR; EPO; JPO 19 US-PGPUB; USPAT; USOCR; EPO; JPO 10 US-PGPUB; USPAT; USOCR; EPO; JPO 11 "0720 397" US-PGPUB; USPAT; USOCR; EPO; JPO 12 "416 4690" "4181172" US-PGPUB; USPAT; USOCR; EPO; JPO 17 US-PGPUB; USPAT; USOCR; EPO; JPO 18 USPAT; USOCR; EPO; JPO 19 US-PGPUB; USPAT; USOCR; EPO; JPO 10 US-PGPUB; USPAT; USOCR; EPO; JPO 10 US-PGPUB; USPAT; USOCR; EPO; JPO 11 "0720 397" US-PGPUB; USPAT; USOCR; EPO; JPO 12 US-PGPUB; USPAT; USOCR; EPO; JPO 13 US-PGPUB; USPAT; USOCR; EPO; JPO 14 US-PGPUB; USPAT; USOCR; EPO; JPO 15 USPAT; USOCR; EPO; JPO 16 USPAT; USOCR; EPO; JPO 17 USPAT; USOCR; EPO; JPO 18 USPAT

12/22/2006 4:06:11 PM
C:\Documents and Settings\vdivedi\My Documents\EAST\Workspaces\10733108_Axial flow type cooling fan_with shrouded blades.wsp

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L16	3655	rotor shaft (electric coil) permanent magnet.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/12/22 15:57
L17	336	casing rotor drive\$3 shaft magnet blade.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	'AND	ON	2006/12/22 15:58